


THE 150F CARRIER CONTAINS AN INTEGRAL SPLICE. NEST ONE END OF THE CARRIER INTO THE OTHER END AND LINE UP THE HOLES AND FLANGES TO MAINTAIN THE MODULE.

SCREW FASTENERS (2) ON EACH SIDE OF THE CARRIER, (4) TOTAL ARE REQUIRED TO SECURE THE CARRIERS.



**SECTION 'A'**  
SCALE: 3" = 1'-0"

## EXTERIOR INSTALLATION

\*VERTICAL SUPPORT OMITTED FOR CLARITY



5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
T 800.366.4327  
F 770.806.0214  
HDarchitectural.com

*All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.*

## SPECIFICATIONS

(unless noted otherwise)

MATERIAL: .025" ALUMINUM 150F PANEL | .040" ALUMINUM 150F CARRIER  
FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | LUXACOTE  
PERFORATION: NON-PERFORATED | #124 FOR VENTILATION ONLY

## CARRIER SPLICE

PROJECT: 150F PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 150F-B1.4  
SCALE: 3" = 1'-0"  
DRAWN BY: HDA ENGINEERING  
DATE: 8/15/16