



DETAIL 'A'

SCALE: 3" = 1'-0"



DETAIL 'B'

SCALE: 3" = 1'-0"



INTERIOR INSTALLATION



5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.


SPECIFICATIONS

(unless noted otherwise)

MATERIAL: .032" | .040" | .050" | .063" ALUMINUM HOOK-ON PANEL | 18 GA GALV.
STEEL 'Z' PROFILE SECONDARY CARRIER
FINISH: PAINT | POWDER COAT | LUXACOTE
PERFORATION: SEE DETAIL A1.1 THIS SET

OVERALL ISOMETRIC VIEW

PROJECT: HOOK-ON PRODUCT SPECIFICATIONS
DRAWING NUMBER: HOOKON-A1.0
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/15/16



PANEL CONFIGURATIONS:

- 8" MIN. WIDTH TO 24" MAX. WIDTH
- 24" MIN. LENGTH TO 120" MAX. LENGTH
- OTHER SIZES AVAILABLE, CONTACT HUNTER DOUGLAS

MATERIAL THICKNESS

- HOOK-ON PLANKS: .032", .040", .050", OR .063" ALUMINUM

PANEL FINISHES

- PAINTED & POWDER COATED - INTERIOR & EXTERIOR
- LUXACOTE - INTERIOR & EXTERIOR
- DECORATED WOOD FINISH (POWDER COATED) - INTERIOR & EXTERIOR
- SEE TABLE FOR PERFORATION OPTIONS

HUNTER DOUGLAS HOOK-ON PLANKS ARE DESCRIBED AS A METAL PANEL 24" TO 120" IN LENGTH. CONSTRUCTED AS DETAILED IN THIS SET. HOOK-ON PLANKS ARE DESIGNED TO BE INSTALLED ON HUNTER DOUGLAS HOOK-ON SUSPENSION SYSTEM. JOINTS BETWEEN PANELS WILL BE BUTT AND FLUSH.

FOR PANEL WIDTHS OTHER THAN 24". PLEASE CONTACT HUNTER DOUGLAS. SOME WIDTHS WILL INCUR AN ADDITIONAL TOOLING CHARGE.

PERFORATION OPTIONS							
PERFORATION	MAX LENGTH	PERFORATION	MAX LENGTH	PERFORATION	MAX LENGTH	PERFORATION	MAX LENGTH
102 (14.0% OPEN)	120"	112 (7.0% OPEN)	120"	150 (4.0% OPEN)	120"	315 (6.25% OPEN)	120"
103 (20.0% OPEN)	120"	114 (5.0% OPEN)	120"	185 (3.1% OPEN)	24"	350 (70.0% OPEN)	24"
106 (16.0% OPEN)	120"	119 (8.0% OPEN)	120"	201 (19.6% OPEN)	120"	355 (18.0% OPEN)	120"
107 (28.0% OPEN)	72"*	122 (5.5% OPEN)	120"	202 (5.43% OPEN)	120"	375 (25.0% OPEN)	120"
109 (36.0% OPEN)	72"	125 (13.0% OPEN)	120"	301 (11.0% OPEN)	120"	625 (19.5% OPEN)	120"
110 (36.0% OPEN)	60"	127 (25.0% OPEN)	96"	312 (33.0% OPEN)	60"	750 (19.2% OPEN)	120"
111 (4.0% OPEN)	120"	132 (20.0% OPEN)	72"	314 (25.0% OPEN)	120"		
*PANEL SIZE LIMITED TO 8 SQUARE FEET							

INTERIOR INSTALLATION



5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.



SPECIFICATIONS

(unless noted otherwise)

MATERIAL: .032" | .040" | .050" | .063" ALUMINUM HOOK-ON PANEL | 18 GA GALV.
STEEL 'Z' PROFILE SECONDARY CARRIER
FINISH: PAINT | POWDER COAT | LUXACOTE
PERFORATION: SEE TABLE ABOVE

PANEL SPECIFICATIONS

PROJECT: HOOK-ON PRODUCT SPECIFICATIONS
DRAWING NUMBER: HOOKON-A1.1
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/15/16



HOOK-ON SYSTEM DIMENSIONS

A = 48" MAXIMUM HANGER WIRE
 B = 48" MAXIMUM 16GA CR CHANNEL
 C = 12" MAXIMUM OVERHANG
 D = 24" MIN - 120" MAX LENGTH
 E = 12" MAXIMUM OVERHANG

HOOK-ON SYSTEM COMPONENTS

1 = 1/2" x 1-1/2" 16 GA CR CHANNEL
 2 = CROSS CONNECTOR CLAMP
 3 = HOOK-ON 'Z' PROFILE
 4 = 2'x4' HOOK-ON PLANK, TYP.
 5 = 12 GA HANGER WIRE

INTERIOR INSTALLATION



5015 Oakbrook Parkway, Suite 100
 Norcross, GA 30093
 T 800.366.4327
 F 770.806.0214
 HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.



SPECIFICATIONS

(unless noted otherwise)

MATERIAL: .032" | .040" | .050" | .063" ALUMINUM HOOK-ON PANEL | 18 GA GALV.
 STEEL 'Z' PROFILE SECONDARY CARRIER
 FINISH: PAINT | POWDER COAT | LUXACOTE
 PERFORATION: SEE TABLE ABOVE



SUSPENSION SPECIFICATIONS

PROJECT: HOOK-ON PRODUCT SPECIFICATIONS
 DRAWING NUMBER: HOOKON-A1.2
 SCALE: AS SHOWN
 DRAWN BY: HDA ENGINEERING
 DATE: 8/15/16



SECTION 'A'
SCALE: 3" = 1'-0"

IF THE DESIRED 'Z' PROFILE LENGTH EXCEEDS THE
MAXIMUM OF 16'-0", USE A 'Z' PROFILE SPLICE
TO CONNECT THE FACTORY 'Z' PROFILE ENDS.



SECTION 'B'
SCALE: FULL (1:1)

INTERIOR INSTALLATION



5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com


All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

SPECIFICATIONS (unless noted otherwise)

MATERIAL: .032" | .040" | .050" | .063" ALUMINUM HOOK-ON PANEL | 18 GA GALV.
STEEL 'Z' PROFILE SECONDARY CARRIER
FINISH: PAINT | POWDER COAT | LUXACOTE
PERFORATION: SEE DETAIL A1.1 THIS SET

'Z' PROFILE SPECIFICATIONS

PROJECT: HOOK-ON PRODUCT SPECIFICATIONS
DRAWING NUMBER: HOOKON-A1.3
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/15/16



INTERIOR INSTALLATION

HunterDouglas 
Architectural

5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.


SPECIFICATIONS

(unless noted otherwise)

MATERIAL: .032" | .040" | .050" | .063" ALUMINUM HOOK-ON PANEL | 18 GA GALV.
STEEL 'Z' PROFILE SECONDARY CARRIER
FINISH: PAINT | POWDER COAT | LUXACOTE
PERFORATION: SEE DETAIL A1.1 THIS SET

WALL TRIM SPECIFICATIONS

PROJECT: HOOK-ON PRODUCT SPECIFICATIONS
DRAWING NUMBER: HOOKON-A1.4
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/15/16




SPECIFICATIONS
(unless noted otherwise)

MATERIAL: .032" | .040" | .050" | .063" ALUMINUM HOOK-ON PANEL | 18 GA GALV.
STEEL 'Z' PROFILE SECONDARY CARRIER
FINISH: PAINT | POWDER COAT | LUXACOTE
PERFORATION: SEE DETAIL A1.1 THIS SET

FIELD CUT FLOATING TRIM SPECIFICATIONS

PROJECT: HOOK-ON PRODUCT SPECIFICATIONS
DRAWING NUMBER: HOOKON-A1.5
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/15/16



SPECIFICATIONS
(unless noted otherwise)


MATERIAL: .032" | .040" | .050" | .063" ALUMINUM HOOK-ON PANEL | 18 GA GALV.
STEEL 'Z' PROFILE SECONDARY CARRIER
FINISH: PAINT | POWDER COAT | LUXACOTE
PERFORATION: SEE DETAIL A1.1 THIS SET

FULL PANEL FLOATING TRIM SPECIFICATIONS

PROJECT: HOOK-ON PRODUCT SPECIFICATIONS
DRAWING NUMBER: HOOKON-A1.6
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/15/16

NOTE A:
FIXTURE OR DIFFUSER MUST BE
INDEPENDENTLY SUPPORTED IN
ACCORDANCE WITH LOCAL BUILDING CODES
AND MANUFACTURER'S INSTRUCTIONS

NOTE B:
USE 'C'-'C' END PANEL IN FIELD TO CREATE
24" CLEAR OPENING FOR FIXTURE OR
DIFFUSER. CONTACT HUNTER DOUGLAS TO
REQUEST CUSTOM FABRICATED 'C'-'C' PANEL.




TYPICAL ISOMETRIC

SCALE: NOT TO SCALE


INTERIOR INSTALLATION

*HANGER WIRE OMITTED FOR CLARITY



SECTION 'A'

SCALE: 3" = 1'-0"



SECTION 'B'

SCALE: 3" = 1'-0"

HunterDouglas 
Architectural

5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

SPECIFICATIONS

(unless noted otherwise)

MATERIAL: .032" | .040" | .050" | .063" ALUMINUM HOOK-ON PANEL | 18 GA GALV.

STEEL 'Z' PROFILE SECONDARY CARRIER

FINISH: PAINT | POWDER COAT | LUXACOTE

PERFORATION: SEE DETAIL A1.1 THIS SET

2'-0" X 2'-0" FIXTURE OPENING SPECIFICATIONS

PROJECT: HOOK-ON PRODUCT SPECIFICATIONS

DRAWING NUMBER: HOOKON-A1.7


SCALE: AS SHOWN

DRAWN BY: HDA ENGINEERING

DATE: 8/15/16

NOTE A:
FIXTURE OR DIFFUSER MUST BE
INDEPENDENTLY SUPPORTED IN
ACCORDANCE WITH LOCAL BUILDING CODES
AND MANUFACTURER'S INSTRUCTIONS



NOTE B:
USE 'C'-'C' END PANEL IN FIELD TO CREATE
48" CLEAR OPENING FOR FIXTURE OR
DIFFUSER. CONTACT HUNTER DOUGLAS TO
REQUEST CUSTOM FABRICATED 'C'-'C' PANEL.



TYPICAL ISOMETRIC
SCALE: NOT TO SCALE

INTERIOR INSTALLATION

*HANGER WIRE OMITTED FOR CLARITY



HunterDouglas
Architectural

5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

*All rights reserved. This
drawing is the property
of Hunter Douglas. It
may not be copied or
multiplied, neither
wholly nor partly. It may
not be submitted for
perusal to third parties.*

SPECIFICATIONS (unless noted otherwise)

MATERIAL: .032" | .040" | .050" | .063" ALUMINUM HOOK-ON PANEL | 18 GA GALV.
STEEL 'Z' PROFILE SECONDARY CARRIER
FINISH: PAINT | POWDER COAT | LUXACOTE
PERFORATION: SEE DETAIL A1.1 THIS SET

2'-0" X 4'-0" FIXTURE OPENING SPECIFICATIONS

PROJECT: HOOK-ON PRODUCT SPECIFICATIONS
DRAWING NUMBER: HOOKON-A1.8
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/15/16

CROSS CONNECTOR CLAMP

'Z' PROFILE
SECONDARY CARRIER

1/2" x 1-1/2" ———
16 GA CR CHANNEL,
BY OTHERS, NOT BY
HUNTER DOUGLAS

- FULL 24" X 48" HOOK-ON
PANEL, TYP.

SCALE: NOT TO SCALE

*HANGER WIRE OMITTED FOR CLARITY



HunterDouglas 
Architectural


All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

(unless noted otherwise)

MATERIAL: .032" | .040" | .050" | .063" ALUMINUM HOOK-ON PANEL | 18 GA GALV.
STEEL 'Z' PROFILE SECONDARY CARRIER
FINISH: PAINT | POWDER COAT | LUXACOTE
PERFORATION: SEE DETAIL A1.1 THIS SET

PROJECT: HOOK-ON PRODUCT SPECIFICATIONS
DRAWING NUMBER: HOOKON-A1.9
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/15/16





LATERAL BRACING: BRACE WITH HANGER WIRES AND STRUTS PER ASTM E-580 AND IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS.

(4) #12 GAUGE WIRES SPLAYED 90° FROM EACH OTHER AT ANGLE NOT EXCEEDING 45° FROM PLANE OF CEILING. A STRUT FASTENED TO MAIN RUNNER SHALL BE EXTENDED TO AND FASTENED TO STRUCTURE ABOVE. SPLAYED WIRE AND STRUT BRACING TO BE PLACED NOT MORE THAN 12 FEET ON CENTER IN EACH DIRECTION, WITH THE FIRST POINT WITHIN 6 FEET FROM EACH WALL.

INTERIOR INSTALLATION



5015 Oakbrook Parkway, Suite 100
 Norcross, GA 30093
 T 800.366.4327
 F 770.806.0214
 HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

SPECIFICATIONS
 (unless noted otherwise)

MATERIAL: .032" | .040" | .050" | .063" ALUMINUM HOOK-ON PANEL | 18 GA GALV.
 STEEL 'Z' PROFILE SECONDARY CARRIER
 FINISH: PAINT | POWDER COAT | LUXACOTE
 PERFORATION: SEE DETAIL A1.1 THIS SET

SEISMIC SPECIFICATIONS

PROJECT: HOOK-ON PRODUCT SPECIFICATIONS
 DRAWING NUMBER: HOOKON-A1.10
 SCALE: AS SHOWN
 DRAWN BY: HDA ENGINEERING
 DATE: 8/15/16