

DETAIL 'A'
SCALE: 3" = 1'-0"

DETAIL 'B'
SCALE: 3" = 1'-0"

INTERIOR INSTALLATION



5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com



All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

SPECIFICATIONS

(unless noted otherwise)
MATERIAL: .032" | .040" | .050" | .063" ALUMINUM
FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | LUXACOTE
PERFORATION: SEE DETAIL A1.1 THIS SET

OVERALL ISOMETRIC VIEW

PROJECT: TORSION SPRING PRODUCT SPECIFICATIONS
DRAWING NUMBER: TS-A1.0
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/8/16



MATERIAL THICKNESS

- TORSION SPRING PLANKS: .032", .040", .050", OR .063" ALUMINUM

PANEL FINISHES

- PAINTED & POWDER COATED - INTERIOR & EXTERIOR
- LUXACOTE - INTERIOR & EXTERIOR
- DECORATED WOOD FINISH (POWDER COATED) - INTERIOR & EXTERIOR
- SEE TABLE FOR PERFORATION OPTIONS

PANEL CONFIGURATIONS:

- 12" AND 24" WIDTHS
- 24", 48", 60", 72", AND 96" LENGTHS
- OTHER SIZES AVAILABLE, CONTACT HUNTER DOUGLAS

PERFORATION OPTIONS*							
PERFORATION	MAX LENGTH	PERFORATION	MAX LENGTH	PERFORATION	MAX LENGTH	PERFORATION	MAX LENGTH
102 (14.0% OPEN)	96"	112 (7.0% OPEN)	96"	150 (4.0% OPEN)	96"	315 (6.25% OPEN)	96"
103 (20.0% OPEN)	96"	114 (5.0% OPEN)	96"	185 (3.1% OPEN)	24"	350 (70.0% OPEN)	24"
106 (16.0% OPEN)	96"	119 (8.0% OPEN)	96"	201 (19.6% OPEN)	96"	355 (18.0% OPEN)	96"
107 (28.0% OPEN)	72"**	122 (5.5% OPEN)	96"	202 (5.43% OPEN)	96"	375 (25.0% OPEN)	96"
109 (36.0% OPEN)	72"	125 (13.0% OPEN)	96"	301 (11.0% OPEN)	96"	625 (19.5% OPEN)	96"
110 (36.0% OPEN)	60"	127 (25.0% OPEN)	96"	312 (33.0% OPEN)	60"	750 (19.2% OPEN)	96"
111 (4.0% OPEN)	96"	132 (20.0% OPEN)	72"	314 (25.0% OPEN)	96"		
*1/4" NOM. NON-PERFORATED BORDER, TYPICAL				**PANEL SIZE LIMITED TO 8 SQUARE FEET			

INTERIOR INSTALLATION



5015 Oakbrook Parkway, Suite 100
 Norcross, GA 30093
 T 800.366.4327
 F 770.806.0214
 HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.


SPECIFICATIONS

(unless noted otherwise)

MATERIAL: .032" | .040" | .050" | .063" ALUMINUM
 FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | LUXACOTE
 PERFORATION: SEE TABLE ABOVE

PANEL SPECIFICATIONS


PROJECT: TORSION SPRING PRODUCT SPECIFICATIONS
 DRAWING NUMBER: TS-A1.1
 SCALE: AS SHOWN
 DRAWN BY: HDA ENGINEERING
 DATE: 8/8/16



SUSPENSION SPECIFICATIONS

SCALE: NTS

INTERIOR INSTALLATION



- PANEL INSTALLATION:**
1. COMPRESS TORSION SPRINGS.
 2. PUSH PANEL AND TORSION SPRINGS THROUGH PUNCHED MAIN TEE HOLES.
 3. RELEASE SPRINGS TO HOLD PANEL IN PLACE.

PANEL INSTALLATION ISOMETRIC

SCALE: NTS



5015 Oakbrook Parkway, Suite 100
 Norcross, GA 30093
 T 800.366.4327
 F 770.806.0214
 HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.



SPECIFICATIONS

(unless noted otherwise)


MATERIAL: .032" | .040" | .050" | .063" ALUMINUM
 FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | LUXACOTE
 PERFORATION: SEE DETAIL A1.1 THIS SET

SUSPENSION SPECIFICATIONS

PROJECT: TORSION SPRING PRODUCT SPECIFICATIONS
 DRAWING NUMBER: TS-A1.2
 SCALE: AS SHOWN
 DRAWN BY: HDA ENGINEERING
 DATE: 8/8/16




SECTION 'A'
SCALE: 3" = 1'-0"




SECTION 'B'
SCALE: 3" = 1'-0"

INTERIOR INSTALLATION



1-1/2" DRYWALL MAIN TEE
SCALE: 6" = 1'-0"



15/16" MAIN TEE
SCALE: 6" = 1'-0"



5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com


All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

SPECIFICATIONS

(unless noted otherwise)
MATERIAL: .032" | .040" | .050" | .063" ALUMINUM
FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | LUXACOTE
PERFORATION: SEE DETAIL A1.1 THIS SET


TEE GRID SPECIFICATIONS

PROJECT: TORSION SPRING PRODUCT SPECIFICATIONS
DRAWING NUMBER: TS-A1.3
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/8/16




DETAIL 'A'

SCALE: 3" = 1'-0"



DETAIL 'B'

SCALE: 3" = 1'-0"



NOTE:
 PANELS ARE INACCESSIBLE FROM BELOW AT PERIMETER TRIMS. PLEASE REFER TO DETAIL A1.5 FOR TRIMLESS ACCESSIBILITY.

INTERIOR INSTALLATION



5015 Oakbrook Parkway, Suite 100
 Norcross, GA 30093
 T 800.366.4327
 F 770.806.0214
 HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.


SPECIFICATIONS

(unless noted otherwise)


MATERIAL: .032" | .040" | .050" | .063" ALUMINUM
 FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | LUXACOTE
 PERFORATION: SEE DETAIL A1.1 THIS SET

WALL TRIM SPECIFICATIONS


PROJECT: TORSION SPRING PRODUCT SPECIFICATIONS
 DRAWING NUMBER: TS-A1.4
 SCALE: AS SHOWN
 DRAWN BY: HDA ENGINEERING
 DATE: 8/8/16



DETAIL 'A'
SCALE: 3" = 1'-0"



DETAIL 'B'
SCALE: 3" = 1'-0"




5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

SPECIFICATIONS
(unless noted otherwise)
MATERIAL: .032" | .040" | .050" | .063" ALUMINUM
FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | LUXACOTE
PERFORATION: SEE DETAIL A1.1 THIS SET


CORRIDOR PANEL SPECIFICATIONS
PROJECT: TORSION SPRING PRODUCT SPECIFICATIONS
DRAWING NUMBER: TS-A1.5
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/8/16

NOTE:
 FIXTURE OR DIFFUSER MUST BE
 INDEPENDENTLY SUPPORTED IN
 ACCORDANCE WITH LOCAL BUILDING CODES
 AND MANUFACTURER'S INSTRUCTIONS




TYPICAL ISOMETRIC
 SCALE: NOT TO SCALE

INTERIOR INSTALLATION



SECTION 'A'
 SCALE: 3" = 1'-0"



SECTION 'B'
 SCALE: 3" = 1'-0"




5015 Oakbrook Parkway, Suite 100
 Norcross, GA 30093
 T 800.366.4327
 F 770.806.0214
 HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

SPECIFICATIONS
 (unless noted otherwise)
 MATERIAL: .032" | .040" | .050" | .063" ALUMINUM
 FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | LUXACOTE
 PERFORATION: SEE DETAIL A1.1 THIS SET


2'-0" X 4'-0" FIXTURE OPENING SPECIFICATIONS
 PROJECT: TORSION SPRING PRODUCT SPECIFICATIONS
 DRAWING NUMBER: TS-A1.6
 SCALE: AS SHOWN
 DRAWN BY: HDA ENGINEERING
 DATE: 8/8/16

NOTE:
 FIXTURE OR DIFFUSER MUST BE
 INDEPENDENTLY SUPPORTED IN
 ACCORDANCE WITH LOCAL BUILDING CODES
 AND MANUFACTURER'S INSTRUCTIONS




TYPICAL ISOMETRIC
 SCALE: NOT TO SCALE

INTERIOR INSTALLATION



SECTION 'A'
 SCALE: 3" = 1'-0"



SECTION 'B'
 SCALE: 3" = 1'-0"





5015 Oakbrook Parkway, Suite 100
 Norcross, GA 30093
 T 800.366.4327
 F 770.806.0214
 HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

SPECIFICATIONS
 (unless noted otherwise)
 MATERIAL: .032" | .040" | .050" | .063" ALUMINUM
 FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | LUXACOTE
 PERFORATION: SEE DETAIL A1.1 THIS SET

FIELD CUT PANEL OPENING SPECIFICATIONS
 PROJECT: TORSION SPRING PRODUCT SPECIFICATIONS
 DRAWING NUMBER: TS-A1.7
 SCALE: AS SHOWN
 DRAWN BY: HDA ENGINEERING
 DATE: 8/8/16



NOTE:
PANELS THIS SIDE OMITTED FOR CLARITY

LATERAL BRACING: BRACE WITH HANGER WIRES AND STRUTS PER ASTM E-580 AND IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS.

(4) #12 GAUGE WIRES SPLAYED 90° FROM EACH OTHER AT ANGLE NOT EXCEEDING 45° FROM PLANE OF CEILING. A STRUT FASTENED TO MAIN RUNNER SHALL BE EXTENDED TO AND FASTENED TO STRUCTURE ABOVE. SPLAYED WIRE AND STRUT BRACING TO BE PLACED NOT MORE THAN 12 FEET ON CENTER IN EACH DIRECTION, WITH THE FIRST POINT WITHIN 6 FEET FROM EACH WALL.

INTERIOR INSTALLATION



5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

SPECIFICATIONS

(unless noted otherwise)
MATERIAL: .032" | .040" | .050" | .063" ALUMINUM
FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | LUXACOTE
PERFORATION: SEE DETAIL A1.1 THIS SET

SEISMIC SPECIFICATIONS

PROJECT: TORSION SPRING PRODUCT SPECIFICATIONS
DRAWING NUMBER: TS-A1.8
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/8/16