

## **PANEL INSTALLATION:**

- COMPRESS TORSION SPRINGS.
- PUSH PANEL AND TORSION SPRINGS THROUGH PUNCHED MAIN TEE HOLES.

PANEL "A"

**FULLY RELEASED** 

**TORSION** RELEASE SPRINGS TO HOLD PANEL IN PLACE. SPRING PANEL "B" **FULLY** 12 GA HANGER WIRE, 48" O.C. MAX ALONG **ENGAGED** LENGTH OF MAIN TEE, TYP., NOT BY **HUNTER DOUGLAS** CROSS TEE 48" O.C., TYP., CENTERED MID PANEL

MAIN TEE 15/16" OR 1-1/2" DRY WALL GRID

PUNCHED 6" O.C.

# PANEL INSTALLATION ISOMETRIC

SCALE: NTS

## INTERIOR INSTALLATION



5015 Oakbrook Parkway, Suite 100 Norcross, GA 30093 T 800.366.4327 F 770.806.0214 HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither not be submitted for perusal to third parties.

#### **SPECIFICATIONS**

MATERIAL: .032" | .040" | .050" | .063" ALUMINUM FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | LUXACOTE PERFORATION: SEE DETAIL A1.1 THIS SET

### SUSPENSION SPECIFICATIONS

PROJECT: TORSION SPRING PRODUCT SPECIFICATIONS

DRAWING NUMBER: TS-A1.2 SCALE: AS SHOWN

DRAWN BY: HDA ENGINEERING

DATE: 8/8/16

**TORSION** 

**SPRING** 

**PANEL**