


ALLOWABLE DESIGN WIND PRESSURE TORSION SPRING EXTERIOR CEILING SYSTEM		
24" X 24" X .040" ALUMINUM PANEL HEAVY DUTY 1-1/2" X 1-1/2" MAIN TEE SPACING: 24" O.C. VERTICAL SUPPORT 2-1/2" STE 20 GA GALV. STEEL STUD, MAX LENGTH 7'-1"		
STRUT SPACING ALONG MAIN TEE	ALLOWABLE DESIGN WIND PRESSURE	
	POSITIVE (UPLIFT) PSF*	NEGATIVE PSF*
24"	54.5	54.5
30"	34.5	34.5
36"	23.5	23.5
* POUNDS PER SQUARE FOOT		



NOTE:
ATTACHMENT TO STRUCTURE
DESIGNED AND PROVIDED BY
OTHERS, NOT BY HUNTER DOUGLAS

HunterDouglasContract

CEILINGS

5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
800-366-4327 / 770-806-9557
fax: 770-806-0214

All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.

www.hunterdouglascontract.com

SPECIFICATIONS (unless noted otherwise)	
MATERIAL: .040" ALUMINUM	

TOLERANCES (unless noted otherwise)	
DECIMAL:	.0 +/- .060 .00 +/- .030 .000 +/- .010
FRACTIONAL:	+/- 1/32"
ANGULAR:	+/- 1/2° (.5°)

**24" X 24" TORSION SPRING PANEL EXTERIOR
SUSPENSION SPECIFICATIONS**

PROJECT: EXTERIOR TORSION SPRING
DRAWING NUMBER: TS-EXT-1.1 (SHEET 1 OF 3)
PART NUMBER:
SCALE: AS SHOWN
DATE: 5/9/14
DRAWN BY: HDAP ENGINEERING

LUXALON®
METAL CEILINGS

WoodWright®
WOOD CEILINGS

Techstyle®
ACOUSTICAL CEILINGS