



① ATTACH RAILING TO WALL USING MINIMUM  $\varnothing 1/4"$  FASTENER BY OTHERS. INSTALLER TO PROVIDE APPROPRIATE FASTENER TYPE FOR SUBSTRUCTURE.

② STARTING FROM BOTTOM OF RAIL AND WORKING UPWARDS, ALIGN PANEL TABS AND PUSH INTO TO PRE-PUNCHED SLOTS ON RAIL.

③ PULL PANEL DOWN TO ENGAGE TABS INTO SLOTS.

## INSTALL INSTRUCTIONS

SCALE: NOT TO SCALE

# HunterDouglasContract

## CEILINGS

1 Hunter Douglas Circle  
Thornton, CO 80241  
800-727-8953  
fax: 720-872-7850

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

*All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.*

[www.hunterdouglascontract.com](http://www.hunterdouglascontract.com)

## SPECIFICATIONS

(unless noted otherwise)

MATERIAL: .050" / .062" ALUMINUM  
FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH  
PERFORATION: 103 / 106 / 119 / NON-PERFORATED

**LUXALON**  
METAL CEILINGS

**WoodWright**  
WOOD CEILINGS

## TOLERANCES

(unless noted otherwise)

DECIMAL: .0 +/- .060  
.00 +/- .030  
.000 +/- .010  
FRACTIONAL: +/-  $\frac{1}{32}"$   
ANGULAR: +/-  $\frac{1}{2}^\circ$  (.5°)

**Techstyle**  
ACOUSTICAL CEILINGS

## INSTALLATION INSTRUCTIONS

PROJECT: HOOK-TAB WALL PRODUCT SPECIFICATIONS  
DRAWING NUMBER: HT-WALL-A1.6  
PART NUMBER: N/A  
SCALE: NOT TO SCALE  
DATE: 04/23/15  
DRAWN BY: HDAP ENGINEERING