

INTERIOR INSTALLATION

*SEE SHEET A1.1 FOR AVAILABLE BEAM SIZES




5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.


SPECIFICATIONS
(unless noted otherwise)

MATERIAL: .025" | .032" | .040" ALUMINUM
FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | WOOD VENEER
PERFORATION: NON-PERFORATED | #106 | #119


OVERALL ISOMETRIC VIEW
PROJECT: TAVOLA PRIME PRODUCT SPECIFICATIONS
DRAWING NUMBER: TAVOLA-PRIME-A1.0
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/25/17



1-PIECE BEAM



2-PIECE BEAM**



BEAM END & SIDE VIEW
SCALE: NOT TO SCALE

BEAM SIZES

BEAM SIZES ARE DIMENSIONED WIDTH X HEIGHT

*PROFILES ARE AVAILABLE IN 1/2" INCREMENTS, CONTACT HUNTER DOUGLAS FOR OTHER SIZES

**CERTAIN PROFILES MAY BE 2-PIECE FACTORY-ASSEMBLED BEAMS, CONTACT HUNTER DOUGLAS

***MAX LENGTHS MAY BE PROFILE-SPECIFIC, CONTACT HUNTER DOUGLAS

BEAM LENGTHS AVAILABLE IN ±1/8" INCREMENTS, MINIMUM QUANTITIES MAY APPLY

BEAM MATERIAL

.025", .032", .040" ALUMINUM

BEAM FINISHES

PAINTED & POWDER COATED

DECORATED WOOD FINISH (POWDER COATED)


WOOD VENEER (NON-PERFORATED ONLY)

PERFORATIONS

PERFORATION	% OPEN
106	16.0%
119	8.0%

STANDARD PERFORATION BORDERS ARE 1/4" NOM.

PERFORATIONS ARE ONLY ON THE SIDES OF THE BEAM



BEAM SIZES, MATERIALS, FINISHES, & PERFORATIONS
SCALE: NOT TO SCALE



5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.


SPECIFICATIONS

(unless noted otherwise)



MATERIAL: .025" | .032" | .040" ALUMINUM
FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | WOOD VENEER
PERFORATION: NON-PERFORATED | #106 | #119

BEAM SPECIFICATIONS

PROJECT: TAVOLA PRIME PRODUCT SPECIFICATIONS
DRAWING NUMBER: TAVOLA-PRIME-A1.1
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/25/17



INTERIOR INSTALLATION



TYPICAL SECTIONS
SCALE: 3" = 1'-0"

HunterDouglas
Architectural

5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.


SPECIFICATIONS

(unless noted otherwise)

MATERIAL: .025" | .032" | .040" ALUMINUM
FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | WOOD VENEER
PERFORATION: NON-PERFORATED | #106 | #119


SUSPENSION SPECIFICATIONS

PROJECT: TAVOLA PRIME PRODUCT SPECIFICATIONS
DRAWING NUMBER: TAVOLA-PRIME-A1.2
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/25/17



INTERIOR INSTALLATION

NOTE:
ATTACHMENT TO STRUCTURE
DESIGNED AND PROVIDED BY
OTHERS, NOT BY HUNTER DOUGLAS



TYPICAL SECTIONS
SCALE: 3" = 1'-0"

HunterDouglas
Architectural

5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

SPECIFICATIONS

(unless noted otherwise)

MATERIAL: .025" | .032" | .040" ALUMINUM
FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | WOOD VENEER
PERFORATION: NON-PERFORATED | #106 | #119



SUSPENSION SPECIFICATIONS - SLOPED OR CURVED

PROJECT: TAVOLA PRIME PRODUCT SPECIFICATIONS
DRAWING NUMBER: TAVOLA-PRIME-A1.3
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/25/17

- ① LIFT HANGER BRACKET ASSEMBLY INTO POSITION ON MAIN TEE AND SQUEEZE SCISSOR CLIP ONTO MAIN TEE WEB.
- ② FEED FIRST TAVOLA PRIME BEAM HALFWAY ONTO HANGER AND SECURE WITH TWO (2) MIN #6 FASTENERS (BY OTHERS).

- ③ REMOVE LINER FROM DOUBLE-SIDED ADHESIVE ON BOTTOM SPLICE PLATE AND SECURE HALFWAY INTO FIRST TAVOLA PRIME BEAM.
- ④ FEED SECOND TAVOLA PRIME BEAM ONTO HANGER BRACKET ASSEMBLY AND BOTTOM PLATE. SECURE WITH TWO (2) MIN #6 FASTENERS.

NON-SPLICE LOCATIONS: ONLY TWO (2) FASTENERS (1 PER SIDE) ARE REQUIRED AND BOTTOM PLATE IS OMITTED.



*VERTICAL SUPPORT OMITTED FOR CLARITY
 **2" X 6" BEAM SHOWN, ALL SIZES SIMILAR

HunterDouglas
 Architectural

5015 Oakbrook Parkway, Suite 100
 Norcross, GA 30093
 T 800.366.4327
 F 770.806.0214
 HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

SPECIFICATIONS

(unless noted otherwise)


MATERIAL: .025" | .032" | .040" ALUMINUM
 FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | WOOD VENEER
 PERFORATION: NON-PERFORATED | #106 | #119

HANGER BRACKET ASSEMBLY INSTALLATION



PROJECT: TAVOLA PRIME PRODUCT SPECIFICATIONS
 DRAWING NUMBER: TAVOLA-PRIME-A1.4
 SCALE: NOT TO SCALE
 DRAWN BY: HDA ENGINEERING
 DATE: 8/25/17

- ① AT SLOPED OR CURVED CONDITIONS, INDEX MAIN TEE WITH FASTENER FROM BELOW.
- ② INSERT HANGER BRACKET/PIVOT ASSEMBLY ONTO MAIN TEE AND ROTATE TO ENGAGE TWIST CLIP.
- ③ FEED FIRST TAVOLA PRIME BEAM HALFWAY ONTO HANGER BRACKET AND SECURE WITH TWO (2) MIN #6 FASTENERS.
- ④ REMOVE LINER FROM DOUBLE-SIDED ADHESIVE ON BOTTOM SPLICE PLATE AND SECURE HALFWAY INTO FIRST TAVOLA PRIME BEAM.
- ⑤ FEED SECOND TAVOLA PRIME BEAM ONTO HANGER BRACKET ASSEMBLY AND BOTTOM PLATE AND SECURE WITH TWO (2) MIN #6 FASTENERS.
- ⑥ ENSURE TAVOLA BEAM IS PLUM AND TIGHTEN 1/4"-20 NYLOCK NUT.

NON-SPLICE LOCATIONS: ONLY TWO (2) FASTENERS (1 PER SIDE) ARE REQUIRED AND BOTTOM PLATE IS OMITTED.



BOTTOM SPLICE PLATE WITH FACTORY-ATTACHED DOUBLE-SIDED ADHESIVE




*VERTICAL SUPPORT OMITTED FOR CLARITY
 **2" X 6" BEAM SHOWN, ALL SIZES SIMILAR

INTEGRAL METAL END CAP

PAINTED & POWDER COATED FINISHES


END CAP IS FACTORY-FORMED AND FACTORY-POP-RIVETED



METAL END CAP

PAINTED, POWDER COATED, & DECORATED WOOD FINISHES


- 1 INSERT END CAP ONTO BEAM END AND ENSURE CAP INSERT GOES INSIDE OF BEAM
- 2 SECURE END CAP WITH TWO (2) MIN #6 FASTENERS



WOOD END CAP

VENEER FINISH

- 1 APPLY CONSTRUCTION ADHESIVE TO BOTTOM OF END CAP AS NEEDED
- 2 INSERT END CAP INTO BEAM END AND ENSURE CAP INSERT GOES INSIDE OF BEAM
- 3 SECURE END CAP WITH TWO (2) MIN #6 FASTENERS



*2" X 6" BEAM SHOWN, ALL SIZES SIMILAR


SPECIFICATIONS

(unless noted otherwise)


MATERIAL: .025" | .032" | .040" ALUMINUM
FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | WOOD VENEER
PERFORATION: NON-PERFORATED | #106 | #119

END CAP SPECIFICATIONS



PROJECT: TAVOLA PRIME PRODUCT SPECIFICATIONS
DRAWING NUMBER: TAVOLA-PRIME-A1.6
SCALE: NOT TO SCALE
DRAWN BY: HDA ENGINEERING
DATE: 8/25/17




*VERTICAL SUPPORT OMITTED FOR CLARITY
 **2" X 6" BEAM SHOWN, ALL SIZES SIMILAR








TOP VIEW
SCALE: NOT TO SCALE



SECTION 'B'
SCALE: 3" = 1'-0"








VIEW FROM BELOW
SCALE: NOT TO SCALE

FACTORY-MITERED
2" X 6" TAVOLA
BEAMS**

CORNER BRACKET INSTALLATION

- ① FEED TOP CORNER BRACKET ASSEMBLY INTO FACTORY-MITERED BEAM AND ALIGN POP RIVET HOLES
- ② SECURE TOP CORNER BRACKET ASSEMBLY WITH FOUR (4) 1/8" POP RIVETS
- ③ USE DOUBLE-SIDED ADHESIVE TO SECURE BOTTOM CORNER BRACKET INTO BEAM
- ④ FEED SECOND BEAM INTO BRACKETS AND SECURE WITH FOUR (4) 1/8" POP RIVETS
- ⑤ LIFT CORNER ASSEMBLY INTO POSITION AND ON MAIN TEE AND SQUEEZE SCISSOR CLIP ONTO MAIN TEE WEB.



*VERTICAL SUPPORT OMITTED FOR CLARITY
**2" X 6" BEAM SHOWN, ALL SIZES SIMILAR

SPECIFICATIONS

(unless noted otherwise)

MATERIAL: .025" | .032" | .040" ALUMINUM

FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | WOOD VENEER

PERFORATION: NON-PERFORATED | #106 | #119

CORNER CONDITIONS



PROJECT: TAVOLA PRIME PRODUCT SPECIFICATIONS

DRAWING NUMBER: TAVOLA-PRIME-A1.10

SCALE: AS SHOWN

DRAWN BY: HDA ENGINEERING

DATE: 8/25/17



TYPICAL SECTION AT MAIN TEE
SCALE: FULL

LATERAL BRACING: BRACE WITH HANGER WIRES AND STRUTS PER ASTM E-580 AND IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS.

(4) #12 GAUGE WIRES SPLAYED 90° FROM EACH OTHER AT ANGLE NOT EXCEEDING 45° FROM PLANE OF CEILING. A STRUT FASTENED TO MAIN RUNNER SHALL BE EXTENDED TO AND FASTENED TO STRUCTURE ABOVE. SPLAYED WIRE AND STRUT BRACING TO BE PLACED NOT MORE THAN 12 FEET ON CENTER IN EACH DIRECTION, WITH THE FIRST POINT WITHIN 6 FEET FROM EACH WALL.

INTERIOR INSTALLATION

HunterDouglas
Architectural

5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

SPECIFICATIONS

(unless noted otherwise)

MATERIAL: .025" | .032" | .040" ALUMINUM
FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | WOOD VENEER
PERFORATION: NON-PERFORATED | #106 | #119

SEISMIC SPECIFICATIONS

PROJECT: TAVOLA PRIME PRODUCT SPECIFICATIONS
DRAWING NUMBER: TAVOLA-PRIME-A1.11
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 8/25/17