


# TYPICAL SECTION

SCALE: 3" = 1'-0"



# INTERIOR INSTALLATION

## HunterDouglasContract

### CEILINGS

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.

www.hunterdouglascontract.com

### SPECIFICATIONS

(unless noted otherwise)

MATERIAL: 0.020" OR 0.025" ALUMINUM 84G PANEL  
0.040" ALUMINUM V-7 CARRIER

FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH

PERFORATION: #124 (15% OPEN) / #140 (23% OPEN) / NON-PERFORATED

### TOLERANCES

(unless noted otherwise)

DECIMAL: .0 +/- .060

.00 +/- .030

.000 +/- .010

FRACTIONAL: +/- 1/32"

ANGULAR: +/- 1/2° (.5°)


**LUXALON**  
METAL CEILINGS

**WoodWright**  
WOOD CEILINGS

**Techstyle**  
ACOUSTICAL CEILINGS


## OVERALL ISOMETRIC VIEW

PROJECT: 84G PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 84G-A1.0  
PART NUMBER: N/A  
SCALE: AS SHOWN  
DATE: 2/26/15  
DRAWN BY: HDAP ENGINEERING



**FACTORY END & SIDE PANEL VIEW**  
SCALE: 3" = 1'-0"

\*PANEL LENGTHS AVAILABLE IN  $\pm \frac{1}{8}$ " TOLERANCE,  
MINIMUM QUANTITIES MAY APPLY



\*VIEW FROM BELOW

**MATERIAL THICKNESS**


84G: .020" OR .025" ALUMINUM

**PANEL FINISHES**

PAINTED & POWDER COATED - .020" OR .025" ALUM.

DECORATED WOOD FINISH (POWDER COATED) - .025" ALUM.

**PANEL MATERIALS & FINISHES**  
SCALE: NOT TO SCALE



PERFORATION #124 - .025" ALUM:  
PERF. AREA 15% OPEN  
HOLE DIAMETER 0.079"

PERFORATION #140 - .020" ALUM:  
PERF. AREA 23% OPEN  
HOLE DIAMETER 0.039"

**AVAILABLE PERFORATIONS**  
SCALE: 6" = 1'-0"

**HunterDouglasContract**

**CEILINGS**

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

*All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.*

www.hunterdouglascontract.com

**SPECIFICATIONS**

(unless noted otherwise)

MATERIAL: 0.020" OR 0.025" ALUMINUM 84G PANEL  
0.040" ALUMINUM V-7 CARRIER

FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH

PERFORATION: #124 (15% OPEN) / #140 (23% OPEN) / NON-PERFORATED

**TOLERANCES**

(unless noted otherwise)

DECIMAL: .0 +/- .060  
.00 +/- .030  
.000 +/- .010

FRACTIONAL: +/-  $\frac{1}{32}$ "

ANGULAR: +/-  $\frac{1}{2}^\circ$  (.5°)



**LUXALON**  
METAL CEILINGS

**WoodWright**  
WOOD CEILINGS

**Techstyle**  
ACOUSTICAL CEILINGS


**PANEL SPECIFICATIONS**

PROJECT: 84G PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 84G-A1.1  
PART NUMBER: N/A  
SCALE: AS SHOWN  
DATE: 2/26/15  
DRAWN BY: HDAP ENGINEERING



**SIDE VIEW OF V-7 CARRIER WITH PANEL**

SCALE: 3" = 1'-0"



**END VIEW OF V-7 CARRIER WITH PANEL**

SCALE: 3" = 1'-0"

**V-7 CARRIER\***

**MATERIAL:** 0.040" ALUMINUM

**FINISH:** MATTE BLACK

**PART LENGTH:** 16'-0"

\*INTEGRAL CARRIER SPLICE, SEE DETAIL A1.5

**INTERIOR INSTALLATION**

**HunterDouglasContract**

**CEILINGS**

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.

www.hunterdouglascontract.com

**SPECIFICATIONS**

(unless noted otherwise)

MATERIAL: 0.020" OR 0.025" ALUMINUM 84G PANEL  
0.040" ALUMINUM V-7 CARRIER

FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH

PERFORATION: #124 (15% OPEN) / #140 (23% OPEN) / NON-PERFORATED

**TOLERANCES**

(unless noted otherwise)

DECIMAL: .0 +/- .060  
.00 +/- .030  
.000 +/- .010

FRACTIONAL: +/-  $\frac{1}{32}$ "

ANGULAR: +/-  $\frac{1}{2}^\circ$  (.5°)



**LUXALON®**  
METAL CEILINGS

**WoodWright®**  
WOOD CEILINGS

**Techstyle®**  
ACOUSTICAL CEILINGS



**CARRIER SPECIFICATIONS**

PROJECT: 84G PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 84G-A1.2  
PART NUMBER: N/A  
SCALE: AS SHOWN  
DATE: 2/26/15  
DRAWN BY: HDAP ENGINEERING



**NOTE 1:**  
DO NOT SPLICE PANELS DIRECTLY BELOW V-7 CARRIERS.  
PANEL SPLICES DO NOT FIT UNDER CARRIERS.

**NOTE 2:**  
FIELD CUT PANELS AS REQUIRED TO CREATE A RANDOM  
STAGGERED SEAM PATTERN. AVOID ALIGNED SEAMS.



## INTERIOR INSTALLATION

\*HANGER WIRE OMITTED FOR CLARITY

# HunterDouglasContract

## CEILINGS

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

*All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.*

[www.hunterdouglascontract.com](http://www.hunterdouglascontract.com)

### SPECIFICATIONS

(unless noted otherwise)

MATERIAL: 0.020" OR 0.025" ALUMINUM 84G PANEL  
0.040" ALUMINUM V-7 CARRIER

FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH

PERFORATION: #124 (15% OPEN) / #140 (23% OPEN) / NON-PERFORATED

**LUXALON**  
METAL CEILINGS

**WoodWright**  
WOOD CEILINGS

**Techstyle**  
ACOUSTICAL CEILINGS

### TOLERANCES

(unless noted otherwise)


DECIMAL: .0 +/- .060  
.00 +/- .030  
.000 +/- .010

FRACTIONAL: +/-  $\frac{1}{32}$ "

ANGULAR: +/-  $\frac{1}{2}^\circ$  (.5°)

## PANEL SPLICE SPECIFICATIONS

PROJECT: 84G PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 84G-A1.3  
PART NUMBER: N/A  
SCALE: AS SHOWN  
DATE: 2/26/15  
DRAWN BY: HDAP ENGINEERING



## INTERIOR INSTALLATION

### SECTION 'A'

SCALE: FULL (1:1)

\*HANGER WIRE OMITTED FOR CLARITY

# HunterDouglasContract

## CEILINGS

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.

[www.hunterdouglascontract.com](http://www.hunterdouglascontract.com)

### SPECIFICATIONS

(unless noted otherwise)

MATERIAL: 0.020" OR 0.025" ALUMINUM 84G PANEL  
0.040" ALUMINUM V-7 CARRIER

FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH

PERFORATION: #124 (15% OPEN) / #140 (23% OPEN) / NON-PERFORATED

### TOLERANCES

(unless noted otherwise)

DECIMAL: .0 +/- .060  
.00 +/- .030  
.000 +/- .010

FRACTIONAL: +/-  $\frac{1}{32}$ "

ANGULAR: +/-  $\frac{1}{2}^{\circ}$  (.5°)



**LUXALON**  
METAL CEILINGS

**WoodWright**  
WOOD CEILINGS

**Techstyle**  
ACOUSTICAL CEILINGS

### PANEL END CAP

PROJECT: 84G PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 84G-A1.4  
PART NUMBER: N/A  
SCALE: AS SHOWN  
DATE: 2/26/15  
DRAWN BY: HDAP ENGINEERING




#### SECTION 'A'

SCALE: 3" = 1'-0"

THE V-7 CARRIER CONTAINS AN INTEGRAL SPLICE. NEST ONE END OF THE CARRIER INTO THE OTHER END AND LINE UP THE HOLES AND FLANGES TO MAINTAIN THE MODULE.

SCREW FASTENERS TWO (2) ON EACH SIDE OF THE CARRIER, FOUR (4) TOTAL ARE REQUIRED TO SECURE THE CARRIERS.



### INTERIOR INSTALLATION

\*HANGER WIRE OMITTED FOR CLARITY

## HunterDouglasContract

### CEILINGS

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

*All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.*

www.hunterdouglascontract.com

#### SPECIFICATIONS

(unless noted otherwise)

MATERIAL: 0.020" OR 0.025" ALUMINUM 84G PANEL  
0.040" ALUMINUM V-7 CARRIER

FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH

PERFORATION: #124 (15% OPEN) / #140 (23% OPEN) / NON-PERFORATED

#### TOLERANCES

(unless noted otherwise)

DECIMAL: .0 +/- .060  
.00 +/- .030  
.000 +/- .010

FRACTIONAL: +/-  $\frac{1}{32}$ "

ANGULAR: +/-  $\frac{1}{2}^\circ$  (.5°)


**LUXALON**  
METAL CEILINGS

**WoodWright**  
WOOD CEILINGS

**Techstyle**  
ACOUSTICAL CEILINGS

#### UNIVERSAL CARRIER SPLICE

PROJECT: 84G PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 84G-A1.5  
PART NUMBER: N/A  
SCALE: AS SHOWN  
DATE: 2/26/15  
DRAWN BY: HDAP ENGINEERING



**INTERIOR INSTALLATION**

\*HANGER WIRE OMITTED FOR CLARITY

# HunterDouglasContract

## CEILING

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.

www.hunterdouglascontract.com

### SPECIFICATIONS

(unless noted otherwise)

MATERIAL: 0.020" OR 0.025" ALUMINUM 84G PANEL  
0.040" ALUMINUM V-7 CARRIER

FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH

PERFORATION: #124 (15% OPEN) / #140 (23% OPEN) / NON-PERFORATED

### TOLERANCES

(unless noted otherwise)

DECIMAL: .0 +/- .060  
.00 +/- .030  
.000 +/- .010

FRACTIONAL: +/-  $\frac{1}{32}$ "

ANGULAR: +/-  $\frac{1}{2}^\circ$  (.5°)


**LUXALON**  
METAL CEILINGS

**WoodWright**  
WOOD CEILINGS

**Techstyle**  
ACOUSTICAL CEILINGS

### WALL ANGLE TRIM

PROJECT: 84G PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 84G-A1.6  
PART NUMBER: N/A  
SCALE: AS SHOWN  
DATE: 2/26/15  
DRAWN BY: HDAP ENGINEERING



INTERIOR INSTALLATION

\*SOME HANGER WIRE OMITTED FOR CLARITY

HunterDouglasContract

CEILINGS

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.

www.hunterdouglascontract.com

**SPECIFICATIONS**  
(unless noted otherwise)  
MATERIAL: 0.020" OR 0.025" ALUMINUM 84G PANEL  
0.040" ALUMINUM V-7 CARRIER  
FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH  
PERFORATION: #124 (15% OPEN) / #140 (23% OPEN) / NON-PERFORATED

LUXALON<sup>®</sup>  
METAL CEILINGS

WoodWright<sup>®</sup>  
WOOD CEILINGS


Techstyle<sup>®</sup>  
ACOUSTICAL CEILINGS

**TOLERANCES**  
(unless noted otherwise)  
DECIMAL: .0 +/- .060  
.00 +/- .030  
.000 +/- .010  
FRACTIONAL: +/- 1/32"  
ANGULAR: +/- 1/2° (.5°)

FLOATING TRIM


PROJECT: 84G PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 84G-A1.7  
PART NUMBER: N/A  
SCALE: AS SHOWN  
DATE: 2/26/15  
DRAWN BY: HDAP ENGINEERING





### TYPICAL ISOMETRIC


SCALE: NOT TO SCALE



### SECTION 'A'


SCALE: 3" = 1'-0"

\*4-21/32" MAX CLEAR OPENING, PANEL EDGE TO PANEL EDGE, FOR SINGLE PANEL INTERRUPTION.  
8-21/32" MAX CLEAR OPENING, PANEL EDGE TO PANEL EDGE, FOR DOUBLE PANEL INTERRUPTION.



### TOP VIEW

SCALE: NOT TO SCALE



### SECTION 'B'

SCALE: 3" = 1'-0"

## INTERIOR INSTALLATION

NOTE: FIXTURE WITH TRIM FLANGE NOT BY HUNTER DOUGLAS

# HunterDouglasContract

## CEILINGS

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.

www.hunterdouglascontract.com

### SPECIFICATIONS

(unless noted otherwise)

MATERIAL: 0.020" OR 0.025" ALUMINUM 84G PANEL  
0.040" ALUMINUM V-7 CARRIER

FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH

PERFORATION: #124 (15% OPEN) / #140 (23% OPEN) / NON-PERFORATED

### TOLERANCES

(unless noted otherwise)

DECIMAL: .0 +/- .060  
.00 +/- .030  
.000 +/- .010

FRACTIONAL: +/- 1/32"

ANGULAR: +/- 1/2° (.5°)


**LUXALON**  
METAL CEILINGS

**WoodWright**  
WOOD CEILINGS

**Techstyle**  
ACOUSTICAL CEILINGS


## INTERRUPTED PANEL FOR TYPICAL FIXTURE

PROJECT: 84G PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 84G-A1.8  
PART NUMBER: N/A  
SCALE: AS SHOWN  
DATE: 2/26/15  
DRAWN BY: HDAP ENGINEERING




### TYPICAL ISOMETRIC

SCALE: NOT TO SCALE




### SECTION 'A'

SCALE: 3" = 1'-0"



### TOP VIEW

SCALE: NOT TO SCALE



### SECTION 'B'

SCALE: 3" = 1'-0"

## INTERIOR INSTALLATION

NOTE: FIXTURE WITH TRIM FLANGE NOT BY HUNTER DOUGLAS

# HunterDouglasContract

### CEILINGS

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.

www.hunterdouglascontract.com

### SPECIFICATIONS

(unless noted otherwise)

MATERIAL: 0.020" OR 0.025" ALUMINUM 84G PANEL  
0.040" ALUMINUM V-7 CARRIER

FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH

PERFORATION: #124 (15% OPEN) / #140 (23% OPEN) / NON-PERFORATED

### TOLERANCES

(unless noted otherwise)

DECIMAL: .0 +/- .060  
.00 +/- .030  
.000 +/- .010

FRACTIONAL: +/-  $\frac{1}{32}$ "

ANGULAR: +/-  $\frac{1}{2}^\circ$  (.5°)


**LUXALON**  
METAL CEILINGS

**WoodWright**  
WOOD CEILINGS

**Techstyle**  
ACOUSTICAL CEILINGS




### FIELD CUT PANEL FOR TYPICAL FIXTURE

PROJECT: 84G PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 84G-A1.9  
PART NUMBER: N/A  
SCALE: AS SHOWN  
DATE: 2/26/15  
DRAWN BY: HDAP ENGINEERING



### TYPICAL ISOMETRIC

SCALE: NOT TO SCALE



### INTERIOR INSTALLATION

NOTE: DIFFUSER WITH TRIM FLANGE NOT BY HUNTER DOUGLAS

**HunterDouglasContract**

#### CEILINGS

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.

www.hunterdouglascontract.com

#### SPECIFICATIONS

(unless noted otherwise)

MATERIAL: 0.020" OR 0.025" ALUMINUM 84G PANEL  
0.040" ALUMINUM V-7 CARRIER

FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH

PERFORATION: #124 (15% OPEN) / #140 (23% OPEN) / NON-PERFORATED

#### TOLERANCES

(unless noted otherwise)

DECIMAL: .0 +/- .060

.00 +/- .030

.000 +/- .010

FRACTIONAL: +/- 1/32"

ANGULAR: +/- 1/2° (.5°)


**LUXALON®**  
METAL CEILINGS

**WoodWright®**  
WOOD CEILINGS

**Techstyle®**  
ACOUSTICAL CEILINGS


### INTERRUPTED PANEL FOR TYPICAL DIFFUSER

PROJECT: 84G PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 84G-A1.10  
PART NUMBER: N/A  
SCALE: AS SHOWN  
DATE: 2/26/15  
DRAWN BY: HDAP ENGINEERING




### TYPICAL ISOMETRIC

SCALE: NOT TO SCALE




### SECTION 'A'

SCALE: 3" = 1'-0"



### TOP VIEW

SCALE: NOT TO SCALE



### SECTION 'B'

SCALE: 3" = 1'-0"

## INTERIOR INSTALLATION

NOTE: DIFFUSER WITH TRIM FLANGE NOT BY HUNTER DOUGLAS

# HunterDouglasContract

## CEILINGS

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.

[www.hunterdouglascontract.com](http://www.hunterdouglascontract.com)

### SPECIFICATIONS

(unless noted otherwise)

MATERIAL: 0.020" OR 0.025" ALUMINUM 84G PANEL  
0.040" ALUMINUM V-7 CARRIER

FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH

PERFORATION: #124 (15% OPEN) / #140 (23% OPEN) / NON-PERFORATED

### TOLERANCES

(unless noted otherwise)

DECIMAL: .0 +/- .060  
.00 +/- .030  
.000 +/- .010

FRACTIONAL: +/-  $\frac{1}{32}$ "

ANGULAR: +/-  $\frac{1}{2}^\circ$  (.5°)


**LUXALON**  
METAL CEILINGS

**WoodWright**  
WOOD CEILINGS

**Techstyle**  
ACOUSTICAL CEILINGS

### FIELD CUT PANEL FOR TYPICAL DIFFUSER

PROJECT: 84G PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 84G-A1.11  
PART NUMBER: N/A  
SCALE: AS SHOWN  
DATE: 2/26/15  
DRAWN BY: HDAP ENGINEERING



LATERAL BRACING: BRACE WITH HANGER WIRES AND STRUTS PER ASTM E-580 AND IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS.

(4) #12 GAUGE WIRES SPLAYED 90° FROM EACH OTHER AT ANGLE NOT EXCEEDING 45° FROM PLANE OF CEILING. A STRUT FASTENED TO MAIN RUNNER SHALL BE EXTENDED TO AND FASTENED TO STRUCTURE ABOVE. SPLAYED WIRE AND STRUT BRACING TO BE PLACED NOT MORE THAN 12 FEET ON CENTER IN EACH DIRECTION, WITH THE FIRST POINT WITHIN 6 FEET FROM EACH WALL.

## INTERIOR INSTALLATION

# HunterDouglasContract

## CEILINGS

5015 Oakbrook Parkway, Suite 100  
Norcross, GA 30093  
800-366-4327 / 770-806-9557  
fax: 770-806-0214

*All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.*

www.hunterdouglascontract.com

### SPECIFICATIONS

(unless noted otherwise)  
MATERIAL: 0.020" OR 0.025" ALUMINUM 84G PANEL  
0.040" ALUMINUM V-7 CARRIER  
FINISH: PAINT / POWDER COAT / DECORATED WOOD FINISH  
PERFORATION: #124 (15% OPEN) / #140 (23% OPEN) / NON-PERFORATED

**LUXALON®**  
METAL CEILINGS

**WoodWright®**  
WOOD CEILINGS

### TOLERANCES

(unless noted otherwise)  
DECIMAL: .0 +/- .060  
.00 +/- .030  
.000 +/- .010  
FRACTIONAL: +/-  $\frac{1}{32}$ "  
ANGULAR: +/-  $\frac{1}{2}$ ° (.5°)

**Techstyle®**  
ACOUSTICAL CEILINGS

## SEISMIC SPECIFICATIONS

PROJECT: 84G PRODUCT SPECIFICATIONS  
DRAWING NUMBER: 84G-A1.12  
PART NUMBER: N/A  
SCALE: AS SHOWN  
DATE: 2/26/15  
DRAWN BY: HDAP ENGINEERING