



MATERIAL THICKNESS

CANTED BEAM: .032" ALUMINUM

CANTED BEAM FINISHES

PAINTED
POWDER-COATED
DECORATED WOOD FINISH
(POWDER-COATED)
WOOD VENEER (NON-PERF ONLY)

CANTED BEAM LENGTHS

6'-0", 8'-0", 10'-0"

CANTED BEAM WIDTHS

2" STANDARD WIDTHS

*CONTACT HUNTER DOUGLAS FOR
CUSTOM LENGTHS AND WIDTHS*

INTERIOR INSTALLATION

HunterDouglasContract

CEILINGS

5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
800-366-4327 / 770-806-9557
fax: 770-806-0214

All rights reserved. This drawing is the property of Hunter Douglas and may not be copied or multiplied neither wholly nor partly. It may not be submitted for perusal to third parties either.

www.hunterdouglascontract.com

SPECIFICATIONS
(unless noted otherwise)

MATERIAL: .032 ALUMINUM
FINISHES: PAINT / POWDER COAT / DECORATED WOOD FINISH / WOOD VENEER
PERFORATION: NON-PERFORATED / CONTACT HD FOR AVAILABLE PERFS

TOLERANCES
(unless noted otherwise)

DECIMAL: .0 +/- .060
.00 +/- .030
.000 +/- .010
FRACTIONAL: +/- 1/32"
ANGULAR: +/- 1/2° (.5°)

LUXALON®
METAL CEILINGS

WoodWright®
WOOD CEILINGS

Techstyle®
ACOUSTICAL CEILINGS

BEAM SPECIFICATIONS

PROJECT: TAVOLA CANTED BEAM PRODUCT SPECIFICATIONS
DRAWING NUMBER: TAVOCANT-A1.1
PART NUMBER: N/A
SCALE: AS SHOWN
DATE: 11/25/14
DRAWN BY: HDAP ENGINEERING