


**METAL END CAP**

PAINTED, POWDER COATED, &  
DECORATED WOOD FINISHES


- ① APPLY CONSTRUCTION ADHESIVE ON 3 SIDES SHOWN.
- ② INSERT END CAP INTO BAFFLE AND ENSURE END CAP BRACKET SLIDES INTO SUSPENSION SLOT AT TOP OF BAFFLE.
- ③ APPLY EVEN PRESSURE TO SET END CAP ALL THE WAY INTO BAFFLE AND TIGHTEN SET SCREW TO SECURE END CAP.



**WOOD END CAP**

WOOD VENEER FINISH (PROFILE SPECIFIC, CONTACT HUNTER DOUGLAS)


- ① APPLY CONSTRUCTION ADHESIVE TO INTERNAL EDGES OF END CAP.
- ② INSERT END CAP INTO BAFFLE AND REMOVE ANY VISIBLE ADHESIVE. SECURE CAP UNTIL ADHESIVE SETS.



**WILSONART END CAP**

LAMINATE FINISH (PROFILE SPECIFIC, CONTACT HUNTER DOUGLAS)

- ① APPLY CONSTRUCTION ADHESIVE TO INTERNAL EDGES OF END CAP.
- ② INSERT END CAP INTO BAFFLE AND REMOVE ANY VISIBLE ADHESIVE. SECURE CAP UNTIL ADHESIVE SETS.



\*1-1/2" X 6-3/8" BEAM PROFILE SHOWN, ALL PROFILES SIMILAR

**SPECIFICATIONS**  
(unless noted otherwise)

MATERIAL: EXTRUDED ALUMINUM ALLOY 6063-T5  
FINISH: PAINT | POWDER COAT | DECORATED WOOD FINISH | WOOD VENEER |  
WILSONART LAMINATE  
PERFORATION: NOT AVAILABLE

**END CAP INSTALLATION**

PROJECT: HIGH PROFILE SERIES PRODUCT SPECIFICATIONS  
DRAWING NUMBER: HPS-A1.6  
SCALE: NOT TO SCALE  
DRAWN BY: HDA ENGINEERING  
DATE: 9/8/17