

PANEL SIZES

PLAZA PANELS CONTAIN 1/4" REVEALS BETWEEN PANELS

2'-0", 2'-6", 3'-0", AND 4'-0" WIDE WITH LENGTHS UP TO 10'-0"

USE 6" LENGTH INCREMENTS FOR COMPATIBILITY WITH STANDARD 6" PUNCHED MAIN TEES. CUSTOM LENGTH INCREMENTS AVAILABLE, CONTACT HUNTER DOUGLAS.

PANEL MATERIAL

1" ALUMINUM HONEYCOMB COMPOSITE

PANEL FINISHES

PAINTED

POWDER COATED


PERFORATIONS

PANEL FACE: #144, 6% OPEN AREA


PERFORATIONS RUN PAST EDGES OF PANEL FACE

BACK SKIN: #103, 20% OPEN AREA


NON-PERFORATED AVAILABLE



PANEL SIDE & END VIEW
SCALE: 3" = 1'-0"




PANEL ISOMETRIC
SCALE: NOT TO SCALE




TYPICAL ISOMETRIC
SCALE: NOT TO SCALE

INTERIOR INSTALLATION

HEAVY DUTY TORSION SPRING,
PART # TS34170-10/NO-Z



HEAVY DUTY TORSION SPRING,
PART # TS34170-10/NO-Z



TYPICAL SECTIONS
SCALE: 3" = 1'-0"

NOTE:

ATTACHMENT TO STRUCTURE
DESIGNED AND PROVIDED BY OTHERS,
NOT BY HUNTER DOUGLAS.

*4'-0" X 8'-0" PLAZA PANEL SHOWN, ALL SIZES SIMILAR



5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.

SPECIFICATIONS

(unless noted otherwise)

MATERIAL: 1" ALUMINUM HONEYCOMB COMPOSITE
FINISH: PAINT | POWDER COAT
PERFORATION: NON-PERFORATED | #144

SUSPENSION SPECIFICATIONS


PROJECT: PLAZA PRODUCT SPECIFICATIONS
DRAWING NUMBER: PLAZA-A1.2
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 6/15/18

PANEL INSTALLATION:

- 1 HANG MAIN TEES WITH SPACING BASED ON PLAZA PANEL WIDTH. SEE PLAN VIEW DETAIL FOR MAIN TEE SLOT ALIGNMENT WITH PANEL.
- 2 INSTALL CROSS TEES 48" MAX ALONG MAIN TEES. AVOID SPRING LOCATIONS AND FIXTURES WHEREVER POSSIBLE.
- 3 INSERT TORSION SPRINGS INTO PLAZA PANEL AND COMPRESS SPRINGS TO FEED INTO PUNCHED MAIN TEE SLOTS.
- 4 PUSH PANEL SIDES UP UNTIL TORSION SPRINGS FULLY ENGAGE WITH MAIN TEE AND PANEL SNAPS INTO PLACE.

PANEL REMOVAL:


- 5 INSERT PANEL REMOVAL TOOL BETWEEN PANELS AND ROTATE TOOL 90° TO ENGAGE WITH TOP OF PANEL. PULL DOWN ONE SIDE OF PANEL TO RELEASE SPRINGS. PANEL CAN SIT IN GRID ON BENT LEGS OF TORSION SPRINGS.
- 6 DISENGAGE TORSION SPRINGS FROM MAIN TEE ON ONE SIDE OF PANEL. PANEL CAN HINGE DOWN FROM OTHER SIDE AND HANG IN PLACE FOR MAINTENANCE ACCESS OR MAY BE COMPLETELY REMOVED.



PLAN VIEW AT MAIN TEE/PANEL JOINTS

SCALE: 3" = 1'-0"

INTERIOR INSTALLATION



*4'-0" X 8'-0" PLAZA PANEL SHOWN, ALL SIZES SIMILAR



5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.


SPECIFICATIONS

(unless noted otherwise)

MATERIAL: 1" ALUMINUM HONEYCOMB COMPOSITE
FINISH: PAINT | POWDER COAT
PERFORATION: NON-PERFORATED | #144

PANEL INSTALLATION

PROJECT: PLAZA PRODUCT SPECIFICATIONS
DRAWING NUMBER: PLAZA-A1.3
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 6/15/18




EXTRUDED WALL ANGLE TRIM

0.063" EXTRUDED ALUMINUM

12'-0" PART LENGTH

PAINTED OR POWDER COATED

CURVED APPLICATIONS AVAILABLE



EXTRUDED STEP TRIM

0.063" EXTRUDED ALUMINUM





12'-0" PART LENGTH

TRIM CAN BE INVERTED FOR EITHER 1" OR 3/4" EXPOSED FLANGE

PAINTED OR POWDER COATED

CURVED APPLICATIONS AVAILABLE

INTERIOR INSTALLATION



5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

All rights reserved. This drawing is the property of Hunter Douglas. It may not be copied or multiplied, neither wholly nor partly. It may not be submitted for perusal to third parties.


SPECIFICATIONS

(unless noted otherwise)

MATERIAL: 1" ALUMINUM HONEYCOMB COMPOSITE
FINISH: PAINT | POWDER COAT
PERFORATION: NON-PERFORATED | #144

WALL TRIM SPECIFICATIONS

PROJECT: PLAZA PRODUCT SPECIFICATIONS
DRAWING NUMBER: PLAZA-A1.4
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 6/15/18




3-3/4" J-TRIM

0.063" ALUMINUM


10'-0" PART LENGTH

PAINTED OR POWDER COATED



TYPICAL SECTION THROUGH PANEL END

SCALE: 3" = 1'-0"



TYPICAL SECTION THROUGH PANEL SIDE

SCALE: 3" = 1'-0"

SPECIFICATIONS

(unless noted otherwise)

MATERIAL: 1" ALUMINUM HONEYCOMB COMPOSITE

FINISH: PAINT | POWDER COAT

PERFORATION: NON-PERFORATED | #144

FLOATING TRIM SPECIFICATIONS

PROJECT: PLAZA PRODUCT SPECIFICATIONS

DRAWING NUMBER: PLAZA-A1.5

SCALE: AS SHOWN

DRAWN BY: HDA ENGINEERING




DATE: 6/15/18

FIELD CUT PANEL FOR FIXTURES

PANELS CAN BE FIELD CUT USING A ROUTER FOR
FIXTURE HOLES

HUNTER DOUGLAS RECOMMENDS FIXTURES
THAT ARE SPECIFIED WITH INTEGRAL TRIM
FLANGE TO SUPPORT FIELD CUT PANEL EDGES

FIXTURES MUST BE INDEPENDENTLY SUPPORTED
IN ACCORDANCE WITH LOCAL BUILDING CODES &
FIXTURE MANUFACTURER'S INSTRUCTIONS



*4'-0" X 8'-0" PLAZA PANEL SHOWN, ALL SIZES SIMILAR



5015 Oakbrook Parkway, Suite 100
Norcross, GA 30093
T 800.366.4327
F 770.806.0214
HDarchitectural.com

*All rights reserved. This
drawing is the property
of Hunter Douglas. It
may not be copied or
multiplied, neither
wholly nor partly. It may
not be submitted for
perusal to third parties.*

SPECIFICATIONS
(unless noted otherwise)

MATERIAL: 1" ALUMINUM HONEYCOMB COMPOSITE
FINISH: PAINT | POWDER COAT
PERFORATION: NON-PERFORATED | #144

FIELD CUT PANEL FIXTURE RECOMMENDATIONS

PROJECT: PLAZA PRODUCT SPECIFICATIONS
DRAWING NUMBER: PLAZA-A1.6
SCALE: AS SHOWN
DRAWN BY: HDA ENGINEERING
DATE: 6/15/18

INTERRUPTED PANEL FOR FIXTURES

SPECIFY DIFFERENT PANEL SIZES TO ACCOMMODATE FIXTURES


HUNTER DOUGLAS RECOMMENDS FLANGELESS FIXTURE TYPES

NOTE PLAZA PANELS SIT 2" BELOW T-GRID SO TYPICAL LAY-IN TYPE
FIXTURES MAY NOT ALIGN PROPERLY


FIXTURES MUST BE INDEPENDENTLY SUPPORTED IN ACCORDANCE WITH
LOCAL BUILDING CODES & FIXTURE MANUFACTURER'S INSTRUCTIONS

4'-0" X 8'-0" (3'-11 3/4" X 7'-11 3/4" ACTUAL) PANEL TYP.	4'-0" X 7'-6" (3'-11 3/4" X 7'-5 3/4" ACTUAL) PANEL	
	6" X 3'-11 3/4" FIXTURE	

TYPICAL RCP
SCALE: 3/8" = 1'-0"



TYPICAL SECTION THROUGH PANEL END
SCALE: 3" = 1'-0"



TYPICAL SECTION THROUGH PANEL SIDE
SCALE: 3" = 1'-0"

*4'-0" X 8'-0" PLAZA PANEL SHOWN, ALL SIZES SIMILAR